

INDICE

Comitati	pag.	21
Prefazione	»	23
Introduzione	»	25
LEZIONI MAGISTRALI		
Robot-Assisted Therapy of the upper-limb in chronic stroke patients: rational guidelines for the principled use of this technology, <i>P. Morasso</i>	»	28
Integrative hybrid modeling, <i>A. Redaelli</i>	»	29
Systems biology in the post genomic era: new adventures in modeling, <i>G. M. Toffolo</i>	»	31
Dielectric cell analysis in microfluidic flow cytometry: Impedance and Dielectrophoretic Force Spectroscopy, <i>P. Renaud, T. Braschler, N. Demierre, G. Mernier, R. Tornay, A. Bertsch, A. Valero</i>	»	32
Integrative modelling of biological systems , <i>M. Viceconti, F. Taddei, E. Schileo, S. Martelli</i>	»	35
BIOINFORMATICS, MEDICAL INFORMATICS, CLINICAL ENGINEERING, PHYSIOLOGICAL SYSTEM MODELING		
HATCAM: a wearable gaze tracking device for ecological investigation of social interaction in autistic spectrum disorders <i>A. Armato, E. S. Maini, G. Valenza, A. Lanatà, E.P. Scilingo, D. De Rossi</i>	»	41
In vitro classification of thrombotic deposits on a bileaflet mechanical heart valve by artificial neural networks <i>A. Bagno, A. Cambi, T. Bottio, V. Tarzia, V. Pengo, G. Gerosa, F.M. Susin</i>	»	43
Aerosol particle distribution in the human tracheo-bronchial tree <i>P. Bagnoli, A. Zaffora, M. Pisano, R. Fumero, M.L. Costantino</i>	»	45
Insulin secretion model: sensitivity to parameters <i>G. Baldus, A. Dessi, D. Corda, C. De Maria, A. Ricotti, E. Buzzigoli, A. Gastaldelli</i>	»	47
Research and development of ICT services and solutions in an IRCCS pediatric hospital <i>M. Bava, R. Zangrando, A. Accardo</i>	»	49
Analysis of critical components in transcriptional and post-transcriptional regulatory networks <i>M. Biasiolo, M. Forcato, L. Possamai, F. Ferrari, L. Agnelli, A. Neri, M. Marchiori, S. Bortoluzzi, S. Bicciato</i>	»	51
An automated system to acquire data and to monitor performance of electromedical equipment <i>D. Bibbo, M. Scialotti, G. Poldi, G. Malerba, T. D'Alessio</i>	»	53
Enquiring YouTube for Positive contributions to e-Health <i>S. Bonacina, F. Elicona, F. Pincioli</i>	»	55
Arc: a software tool to support the design of siRNA sequences <i>M. Bucalo, P. Magni</i>	»	57
A Vocal System For The Smart Management Of Chronic Patients Affected By Hearth Failure <i>D. Capozzi, G. Lanzola</i>	»	59
Model of the physiological and pathological cardiovascular system with peripheral controls <i>G. Casagrande, R. Fumero, M.L. Costantino</i>	»	61
Characterization of single biological components for the rational design of gene constructs <i>F. Ceroni, S. Furini, E. Giordano, S. Cavalcanti</i>	»	63
Study and Development of a graphical interface to study insulin secretion rate <i>D. Corda, A. Dessi, G. Baldus, C. De Maria, A. Ricotti, E. Buzzigoli, A. Gastaldelli</i>	»	65

A mathematical model of atrioventricular node during atrial fibrillation <i>V.D.A. Corino, F. Sandberg, L.T. Mainardi, L. Sörnmo</i>	pag.	67
Model-based analysis of parameters affecting retrovirus HTLV-1 transactivation <i>A. Corradin, B. Di Camillo, V. Ciminale, G. M. Toffolo, C. Cobelli</i>	»	69
Evaluation of technological innovation in healthcare: the case of TAVI <i>G. D'Avenio, C. Daniele, M. Grigioni</i>	»	71
In silico assessment of effect of size and heterogeneity of samples on biomarker discovery <i>B. Di Camillo, M. Martini, T. Sanavia, G. M. Toffolo and C. Cobelli</i>	»	73
Enhanced β -cell secretion in the Zucker fatty rat assessed by minimal modeling of intravenous C-peptide data <i>F. Di Nardo, R. Burattini, C. E. Cogo, E. Faelli and P. Ruggeri</i>	»	75
Tool Integration and Cooperative Work Development Environment for Biomedical Engineering <i>D. E. Domenichelli, I. Porro, M. Fato</i>	»	77
HTA approach for health structure updating <i>F. Dori, G. Calani, S. Mattei, R. Miniati, E. Iadanza</i>	»	79
Medical Device and System management using HTA strategy <i>F. Dori, S. Mattei, G. Calani, R. Miniati, E. Iadanza</i>	»	81
Boolean inference for prediction of protein signalling networks <i>F. Eduati, A. Corradin, B. Di Camillo, G. M. Toffolo</i>	»	83
Toward a Smart Continuous Glucose Monitoring Sensor: On-Line Algorithms for Recalibration, Filtering, and Prediction <i>A. Facchinetti, S. Guerra, G. Sparacino, C. Cobelli</i>	»	85
Telefetalcare: design of a wearable system for remote fetal monitoring during pregnancy <i>A. Fanelli, M. Ferrario, G. Magenes, M.G. Signorini</i>	»	87
User interfaces for computerized therapy management system <i>C. Foglietta, G. Balestra</i>	»	89
Towards Literature-Based Biomarker Discovery: an Analysis of Pubmed Abstracts on Diabetic Retinopathy <i>M. Gabetta, N. Barbarini, C. Larizza, R. Bellazzi</i>	»	91
A multi agent system model for simulating clinical engineering department activities <i>L. Gaetano, G. Balestra</i>	»	93
Shaping data: a Self Organizing Map approach for Data Mining of Oral Glucose Tolerance Test curves in women with previous Gestational Diabetes <i>L. Gaetano, G. Di Benedetto, A. Tura, G. Balestra, F. M. Montevercchi, A. Kautzky-Willer, G. Pacini, U. Morbiducci</i>	»	95
Quanti-Kin Web: a Web tool for p24 quantification <i>M. Giacomini, S. Bertolini, I. Martini, J. McDermott, A. Cachafeiro, S. Fiscus, O. E. Varnier</i>	»	97
A New On-line Algorithm for Evaluating the Clinical Risk in Diabetic Patients From Continuous Glucose Monitoring Data <i>S. Guerra, A. Facchinetti, M. Schiavon, C. Dalla Man, G. Sparacino</i>	»	99
Effects of Critical Hospital Infrastructures Faults <i>E. Iadanza, F. Gaudio, F. Terzaghi, F. Dori, R. Miniati</i>	»	101
Quality Control Phase of GWAS Data: a Multi-Criteria Decision Making Strategy <i>A. Malovini, C. Rognoni, A. Nuzzo, A. Puca, R. Bellazzi</i>	»	103
A state-space approach to disease and dropout modelling in Phase II clinical trials <i>E. Marostica, A. Russu, G. De Nicolao, I. Poggesi, R. Gomeni, S. Zamuner</i>	»	105
Validation of the beta cell minimal model to OGTT and hyperglycemic clamp data from non diabetic subjects <i>G. Mattei, G. Orsi, A. Orsini, A. Ricotti, C. De Maria, D. Ciociaro, R. C. Bonadonna, K. Cusi, A. Gastaldelli</i>	»	107

Impact of cigarette smoking on cardiometabolic risk <i>G. Matzeu, A. Zucca, F. Mulana, C. De Maria, A. Ricotti, R. Petz, A. Gastaldelli</i>	pag. 109
Improved learning of Bayesian Networks in Biomedicine <i>A. Meloni, V. Positano, A. Ripoli, L. Landini</i> »	111
Stretch Activated Current and the Electromechanical Coupling in the Heart <i>L. Mesin, D. Ambrosi</i> »	113
Evaluation of User - Device Interaction in Hospitals <i>R. Miniati, F. Dori, E. Iadanza, M. Fregonara Medici</i> »	115
Paradoxical effect of mexiletine treatment in LQT3: in vitro and in silico analysis <i>S. Morotti, Y. Ruan, M. Denegri, N. Liu, T. Bachetti, M. Seregni, S. Severi, C. Napolitano, S. G. Priori</i> »	117
“In silico” model of hepatic metabolism of Diclofenac <i>A. Moschetti, F. Montemurro, C. De Maria, F. Vozzi, A. Ahluwalia, G. Vozzi</i> »	119
Knowledge-based gene association networks <i>F. Mulas, F. Ferrazzi, A. Sohni, J. Ross, F. Ulloa-Montoya, C. Verfaillie, B. Zupan, R. Bellazzi</i> »	121
Investigation of the non linear viscous-elastic behaviour of the periodontal ligament <i>A.N. Natali, P.G. Pavan, C. Venturato, K. Komatsu</i> »	123
A data mining library for miRNA data annotation and analysis <i>A. Nuzzo, F. Mulas, M. Toplak, L. Zagar, B. Zupan, R. Bellazzi</i> »	125
Standard measurements in Synthetic Biology: towards the rational design of novel biological functions <i>L. Pasotti, S. Zucca, M.G. Cusella De Angelis, P. Magni</i> »	127
Towards a breast deformation model for computer assisted breast surgery <i>P. Patete, M. I. Iacono, M. F. Spadea, G. Trecate, D. Vergnaghi, L. Mainardi, G. Baroni</i> »	129
A Data Warehouse for supporting Healthcare Management Strategies <i>C. Petrigni, D. Bellomo</i> »	131
Creation of an Online Verified Library for Cancer Patients <i>S. Pivetti, I. Truccolo, R. Ricci, M. Giacomini</i> »	133
Modeling Myelosuppression in Patients Treated With Anticancer Drugs <i>N. Politi, A. Russu, F. Fiorentini, M. Germani, M. Rocchetti, G. De Nicolao, P. Magni</i> »	135
Structural Information Provides Insights on How to Improve Sequence-Based Protein-Protein Interaction Prediction <i>L. Popova, K.S. McGreevy, L. Bocchi</i> »	137
Best model to describe the relationship between beta cell mass and glucose concentration in baboons <i>A. Ricotti, R. Guardado-Mendoza, E. Buzzigoli, R. Petz, D. Ciociaro, F. Folli, A. Gastaldelli</i> »	139
Development of an innovative instrument for the online characterization of High-Frequency Percussive Ventilators <i>F. Riscica, U. Lucangelo and A. Accardo</i> »	141
E-Learning Course for Nurses and Physiotherapists: Evaluation after 2 Years <i>C. Rognoni, E. Finozzi, E. Capodaglio, I. Giorgi, M. C. Mazzoleni</i> »	143
A Drug Ontology as a basis for safe therapeutic decisions <i>S. Rubrichi, G. Leonardi, S. Quaglini</i> »	145
Dose escalation studies in Phase I clinical trials: a comparison among Bayesian population approaches <i>A. Russu, G. De Nicolao, I. Poggese, R. Gomeni</i> »	147
Innovative model to simulate exhalation phase in human respiratory system <i>T. Sbrana</i> »	149
Mathematical modelling of action potential in embryonic stem cell-derived cardiomyocytes <i>S. Severi, M. Paci, L. Sartiani, M.E. Jaconi, A. Mugelli, E. Cerbai</i> »	151
Evaluation of dermal skin derived fibroblasts proliferation with xCELLigence system <i>G. Silvani, L. Benedetti, N. Crosetto, C. Olivieri, G. Magenes, G. Cusella De Angelis</i> »	153

Statistical methods to detect immune responses to drug administration <i>C. Tassorelli, A. Russu, F. Del Bene, M. Germani, P. Magni</i>	pag. 155
Quantitative evaluation of the Aurora inhibition effect on gene and protein expression: a mathematical modelling approach <i>N. Terranova, R. Bosotti, P. Carpinelli, G. Galli, M. Bertolotti, P. Magni</i>	» 157
A Data Mining approach to evaluate the performance of recruitment centres in antidepressant drug clinical trials <i>N. Terranova, R. Gomeni, I. Poggesi, P. Magni</i>	» 159
A Perl procedure to improve the efficiency of the identification and characterization of phosphopeptides <i>A. Tiengo, N. Barbarini, C. Temporini, G. Massolini, P. Magni</i>	» 161
The Multi-Compartmental Bioreactor: a new tool for analysis of cytotoxic response to drugs <i>F. Vozzi, F. Montemurro, MA. Guzzardi, C. Domenici, A. Ahluwalia</i>	» 163
Engineering an alcoholic fermentation pathway in <i>E. coli</i> using the synthetic biology approach <i>S. Zucca, L. Pasotti, D. Galli, M.G. Cusella De Angelis, P. Magni</i>	» 165
REHABILITATION, ASSISTIVE TECHNOLOGY, SENSORY & MOTOR CONTROL, BIOMECHANICS OF HUMAN MOVEMENT, PROSTHETICS, COMPUTATIONAL FLUID DYNAMICS	
Evaluation of muscle fatigue during treadmill walking in patients with type 2 diabetes and peripheral arterial disease <i>V. Agostini, F. Spolaor, Z. Sawacha, G. Guarneri, S. de Kreuzenberg, A. Avogaro, C. Cobelli, M. Knafitz</i>	» 169
Development of a biofeedback controller to recover a symmetrical pedalling in hemiparetic patients <i>E. Ambrosini, S. Ferrante, P. Ravelli, G. Ferrigno, F. Molteni, A. Pedrocchi</i>	» 171
Non linear re-calibration of force platforms <i>F. Bagalà, A. Cedraro, A. Cappello, L. Chiari</i>	» 173
Single axis accelerometer kinematics estimation of an inverted pendulum balance model <i>F. Bagalà, V. L. Fuschillo, L. Chiari, A. Cappello</i>	» 175
New pneumatic orthosis applied to rehabilitation and motor learning <i>G. Belforte, G. Eula; S. Appendino, S. Sirolli, K. Sacco, F. Cauda, S. Duca, M. Zettin, R. Virgilio, G. Geminiani</i>	» 177
Distance variation between origins and insertions of the knee ligaments during flexion-extension <i>E. Bergamini, H. Pillet, J. Hausselle, P. Thoreux, V. Camomilla, A. Cappozzo, W. Skalli</i>	» 179
A video-based system to estimate multi-segment postural stability and spinal curvature in an ambulatory environment <i>I. Bernabucci, M. Goffredo, M. Schmid, S. Conforto, C. Palma, T. D'Alessio</i>	» 181
The "ActiNav" system for classification of human activity and pedestrian navigation <i>P. Bernini, A. Mannini, V. Genovese, A. M. Sabatini</i>	» 183
A novel real time system to evaluate pedaling power and efficiency during cycling <i>D. Bibbo, I. Bernabucci, M. Schmid, T. D'Alessio, S. Conforto</i>	» 185
Kinetics and energetics during exercise: a model evaluation <i>M.C. Bisi, F. Riva, R. Stagni, G. Gnudi</i>	» 187
CoEVA: A Test Battery for Cognitive Evaluation <i>E. Borelli, G. Ambrosetto, M. Baraccani, L. Marzio, A. Morreale, L. Chiari, A. Cappello</i>	» 189
Visuomotor optimization strategies of binocular eye coordination in humans and machines <i>A. Canessa, F. Solari, S.P. Sabatini</i>	» 191
Synchronization induced by paced atrial subthreshold stimulation on the sinus node activity in animal experiment <i>F. Cantini, M. Varanini, A. Macerata, M. Piacenti, M.A. Morales, S. Burchielli, F. Bernini, R. Balocchi</i> »	193
Oesophageal and voice prosthesis speech production <i>M. Carello, M. Magnano</i>	» 195

SVM-based classification of EMG signals for enhanced interfaces in lower extremities exoskeletons <i>E. Ceseracciu, M. Reggiani, Z. Sawacha, F. Spolaor, M. Sartori, E. Pagello, C. Cobelli</i>	pag. 197
Markerless analysis of front crawl swimming <i>E. Ceseracciu, Z. Sawacha, S. Fantozzi, M. Cortesi, S. Ceccon, G. Donà, G. Gatta, S. Corazza, C. Cobelli</i>	» 199
Postural parameters in patients after traumatic brain injury <i>E. Chiaramello, V. Agostini, C. Bredariol, C. Cavallini, M. Knaflitz</i>	» 201
HANDEXOS, towards an exoskeleton device for the rehabilitation of the hand <i>A. Chiri, F. Giovacchini, N. Vitiello, S. Roccella, F. Vecchi, M.C. Carrozza</i>	» 203
SAFEHAND - Design and Experimental Analysis of a Neuro-Controlled Prosthetic Hand <i>C. Cipriani, M. Controzzi, F. Vecchi, M. C. Carrozza, C. Carboni, D. Loi, M. Barbaro, L. Raffo, G. Cavallo, L. Zollo, E. Guglielmelli</i>	» 205
Computational finite element model of the heart <i>E. Cutri, P. Bagnoli, M. Serrani, M.L. Costantino, R. Fumero</i>	» 207
Do patients with Ankylosing Spondylitis have altered gait and posture? <i>S. Del Din, Z. Sawacha, E. Carraro, A. Guiotto, L. Bonaldo, F. Spolaor, S. Masiero, C. Cobelli</i>	» 209
Arterial haemodynamic waveform morphologies and their relationship with atheroprotective and atherosusceptible regions of human vasculature <i>G. Di Benedetto, D. Gallo, D. Massai, L. Gaetano, R. Ponzini, L. Antiga, A. Redaelli, F.M. Montevercchi, U. Morbiducci</i>	» 211
Quantitative analysis of Horizontal Saccades in oculomotor abnormalities of Degenerative Ataxic Disorders <i>P. Federighi, G. Cevenini, P. Barbini, A. Rufa</i>	» 213
Ortesi modulare astragalo calcaneare (OMAC): study of its efficacy in children with cerebral palsy <i>A. Ferrari, P. Garofalo</i>	» 215
A slip microsensor for hand prosthetics application <i>M. T. Francomano, D. Accoto, A. Benvenuto, E. Guglielmelli</i>	» 217
Single axis accelerometer anthropometry estimation of an inverted pendulum balance model <i>V. L. Fuschillo, F. Bagalà, L. Chiari, A. Cappello</i>	» 219
<i>Single axis accelerometer CoP, CoM and ankle joint moment prediction in an inverted pendulum balance model</i> <i>V. L. Fuschillo, F. Bagalà, L. Chiari, A. Cappello</i>	» 221
<i>Quantitative Analysis of Bulk Flow in a Multiscale Image-Based Model of Carotid Artery Bifurcation</i> <i>D. Gallo, D. Massai, R. Ponzini, L. Antiga, F. Consolo, A. Redaelli, M.A. Deriu, F.M. Montevercchi, U. Morbiducci</i>	» 223
Active control for 3D vergence eye movements based on a population of disparity detectors <i>A. Gibaldi, F. Solari, S. Sabatini</i>	» 225
Modelling Arm Behaviour under Surface Electrical Stimulation <i>M. Goffredo, S. Conforto, M. Schmid, S. Tricarico, F. Bilotti, L. Vegni, T. D'Alessio</i>	» 227
A Computational Fluid-Dynamics Model to Study Blood Flow in Coronary Artery Bypass Graft During Use Of Intra-Aortic Balloon Pump <i>V. Gramigna, A. S. Rubino, A. Renzulli, E. Muraca, G. Fragomeni</i>	» 229
Use of multiple calibration in multisegment foot 3D kinematics <i>A. Guiotto, Z. Sawacha, C. Fassina, L. Tersì, S. Fantozzi, R. Stagni, C. Cobelli</i>	» 231
Detection of heel strikes and toe-offs during gait using a single inertial measurement unit attached to the waist <i>A. Kose, A. Peruzzi, A. Cereatti, L. Laudani, U. Della Croce</i>	» 233
A Vibrotactile device aimed at stimulating foot mechanoreceptors during neurorehabilitation <i>G. Lo Presti, V. Monaco, S. Micera</i>	» 235
The effect of Deep Brain Stimulation on gait asymmetry in Parkinson's disease <i>M. Mancini, M. Manca, T. Mayberry, G. Ferraresi, M.C. Sensi, M. Cavallo, L. Chiari</i>	» 237

A novel sensor to continuously monitor cardiac apex rotation <i>E. Marcelli, L. Cercenelli, G. Plicchi</i>	pag. 239
Numeric Prediction of Platelet Activation in Stenosed Carotid Bifurcations <i>D. Massai, G. Soloperto, A. Redaelli, F. M. Montevecchi, Y. Xu, U. Morbiducci</i> »	241
A dimensionality reduction strategy for dexterous prosthetic hand control <i>G. Matrone, C. Cipriani, E. L. Secco, M. C. Carrozza, G. Magenes</i> »	243
Robot-aided rehabilitation in post-stroke subjects: a biomechanical method for the upper limb assessment <i>S. Mazzoleni, F. Posteraro, P. Tropea, S. Micera, P. Dario, M. C. Carrozza</i> »	245
Locomotor training of paraplegic patients using a robotic gait orthosis: preliminary results on EMG activation <i>S. Mazzoleni, G. Stampacchia, E. Cattin, E. Bradaschia, B. Rossi, M. C. Carrozza</i> »	247
A method based on Hilbert-Huang transformation for nonlinear filtering of tremor from accelerometers <i>S. Mellone, L. Palmerini, A. Cappello, L. Chiari</i> »	249
Performance Evaluation of a Mobile Reader Device for Blind People <i>L. Mesin, P. Motto Ros, E. Pasero</i> »	251
Proposal of a multimodal approach to Motor Adaptation <i>E. Molteni, E. Preatoni, V. Cimolin, M. Galli, R. Rodano, A. Bianchi</i> »	253
Computational modeling of stenting procedures for coronary bifurcations <i>S. Morlacchi, D. Gastaldi, R. Nichetti, C. Capelli, G. Dubini, L. Petrini, F. Migliavacca</i> »	255
CFD reconstruction of non-newtonian blood flow in the human carotid bifurcation: a model applicable to patients in clinical practice <i>E. Muraca, C. Carallo, V. Gramigna, G. Mazza, F. Scicchitano, M. Milano, A. Gnasso, G. Fragomeni</i> »	257
Estimation of gait parameters from accelerometers in an uncontrolled environment <i>R. Muscillo, M. Schmid, S. Conforto, T. D'Alessio</i> »	259
Fractal analysis for detection of fatigue in walking patterns <i>S. Orlandi, L. Bocchi</i> »	261
Feature selection for the instrumented Timed Up and Go in Parkinson's Disease <i>L. Palmerini, L. Rocchi, S. Mellone, F. Valzania, L. Chiari</i> »	263
Ambulatory measurement of the scapulohumeral rhythm: intra- and inter-rater reliability of a protocol based on inertial & magnetic sensors and its standard error of measure <i>I. Parel, A.G. Cutti</i> »	265
3D finite element models of the aortic root for the analysis of BAV-related biomechanical implications <i>A. Pelosi, C. Conti, M. Stevanella, E. Votta, A. Redaelli</i> »	267
Orbital stability of muscle activations during step climbing in young subjects <i>F. Riva, M. C. Bisi, R. Stagni, L. Cristofolini</i> »	269
Pedestrian impact: FE optimization of a simplified bumper and spoiler system <i>M. Salaorno, A. L. Audenino</i> »	271
Pedestrian head - car bonnet impact: HIC evaluation and design rationale <i>M. Salaorno, A. L. Audenino</i> »	273
Electromyographic Analysis of Standing Reach <i>M. Savini, E. Maranesi, S. Fioretti</i> »	275
Markerless Analysis of Standing Reach: Kinematic Characterization <i>D. Sgattoni, S. Fioretti</i> »	277
In Vivo Evaluation of Hip Joint Contact Areas During Pivoting Motion <i>C. Signorelli, N. Lopomo, T. Bonanzinga, G. Giordano, E. De Momi, S. Zaffagnini, M.R. Safran, G. Ferrigno</i> »	279
Patient-specific CMR-based finite element model of the mitral valve <i>M. Stevanella, F. Maffessanti, C.A. Conti, D. De Marchi, E. Votta, M. Lombardi, O. Parodi, E.G. Caiani, A. Redaelli</i> »	281

<i>Measurement of Knee Flexion/Extension Using a 2-D Markerless Technique</i> <i>E. Surer, P. Kasi, A. Cereatti, P. Bonato, U. Della Croce</i>	pag.	283
Different time of visual presentation of rhythmical actions differently influences the execution rate of self-paced movements <i>A. Tacchino, E. Pelosin, L. Avanzino, M. Bassolino, M. Bove</i>	»	285
Shear stress and pressure driven remodelling of carotid blood vessels through a Vascular Stimulation Chamber <i>G. Tambellini, C. De Maria, B. Vinci, D. Mazzei, A. Ahluwalia</i>	»	287
Real-time Recognition of Motor Rehabilitation Exercises via Multivariate Time Series Classification <i>P. Tormene, T. Giorgino, S. Quaglini, G. Maggioni, C. Pistarini</i>	»	289
NEUROExos: A self-aligning elbow exoskeleton <i>N. Vitiello, T. Lenzi, S. M. M. De Rossi, F. Giovacchini, S. Roccella, F. Vecchi, M. C. Carrozza</i>	»	291
<i>From Posture To Movement: A Computational Approach To Whole Body Reaching</i> <i>J. Zenzeri, V. Mohan, P. Morasso</i>	»	293
BIOMATERIALS, CELL & TISSUE ENGINEERING, STRUCTURAL BIOMECHANICS		
Ex-vivo measurements of friction coefficient in porcine median nerve-polyimide contact <i>D. Accoto, A. Benvenuto, A. Ghionzoli, P. N. Sergi, S. Bossi, S. Micera, E. Guglielmelli</i>	»	297
A successful integrated approach to trachea tissue engineering <i>M.A. Asnaghi, M.A. Birchall, A.P. Hollander, M.T. Conconi, P. Macchiarini, S. Mantero</i>	»	299
Smooth muscle cells onto long tubular scaffolds in a two-phase rotating bioreactor <i>M.A. Asnaghi, I. Stefani, I. Cattaneo, V. Ballotta, A. Remuzzi, S. Mantero</i>	»	301
A novel technique for testing osteointegration in load-bearing conditions <i>A.L. Audenino, E.M. Zanetti, A. Marmotti, A. Boero Baroncelli, P. Costa, P. Serafini, C. Bignardi</i>	»	303
Circuital description of dense conductive hydro solution cells <i>M. Aventaggiato, A.L. Alexe-Ionescu, G. Barbero, R. Merletti</i>	»	305
Biomechanical Analysis of the Dolphin <i>Tursiops Truncatus</i> Tracheo-Bronchial Tree <i>P. Bagnoli, A. Zaffora, B. Cozzi, R. Fumero, M. L. Costantino</i>	»	307
Design of glass-ceramic scaffolds properties by adjusting the composition of starting parent glass <i>F. Baino, E. Verné, O. Bretcanu, C. Vitale-Brovarone</i>	»	309
Tantalum coating on cobalt-based alloys for hip and knee prosthesis <i>C. Balagna, M.G. Faga, S. Spriano</i>	»	311
Alternative production of NiTi and NiTiCu alloys <i>C. Balagna, G. Pan, E. Ferrara, L. Martino, G. Fiore, L. Battezzati, S. Spriano</i>	»	313
Generation of embryonic stem cells derived cardiac tissue in 3D hydrogel carriers cultured in a rotating bioreactor <i>C. Bariani, A. Mantalaris, S. Mantero, F.M. Montevecchi</i>	»	315
Conformational investigation of globular actin by means of equilibrium molecular dynamics <i>T. C. Bidone, M. A. Deriu, G. Di Benedetto, F. Mastrangelo, F. M. Montevecchi, U. Morbiducci</i>	»	317
Numerical and <i>in-vitro</i> / <i>in-vivo</i> experimental study of an overdenture implant retained <i>C. Bignardi, F. Molinari, G. Menicucci, G. Preti, S. Carossa</i>	»	319
Towards quantitative analysis of three-dimensional images: characterization of the trabecular bone architecture and bone tissue engineering scaffolds <i>F. Brun, A. Accardo</i>	»	321
Orientation and length-scale dependent mechanical properties in lamellar bone at the micro and nanostructural hierarchical levels <i>D. Carnelli, P. Vena, C. Ortiz, R. Contro</i>	»	323
Innovative impedance cytometer for cell discrimination <i>F. Caselli, P. Bisegna, F. Maceri</i>	»	325
Electrospun silk fibroin matrices for small caliber vascular prosthesis: in vitro and in vivo functional characterization <i>I. Cattaneo, B. Bonandrini, N. Azzolini, M. Figliuzzi, A. Alessandrino, G. Freddi, A. Remuzzi</i>	»	327

Electrospun silk fibroin matrices for small caliber vascular prosthesis: preparation and chemico-physical characterization <i>V. Catto, A. Alessandrino, G. Freddi, S. Farè, M.C. Tanzi</i>	pag. 329
Study of effects of high frequency vibration on proliferation of human primary cells and on mouse cell lines with xCELLigence™ system <i>G. Ceccarelli, L. Benedetti, N. Crosetto, S. Corsico, D. Prè, G. Magenes, G. Cusella De Angelis</i>	» 331
Pam Scaffold For Tissue Engineering Of Skeletal Muscle <i>D. Cei, E. Loro, A. Malena, L. Vergani, G. Vozzi</i>	» 333
Combining electrospinning and fused deposition modelling for the fabrication of a hybrid vascular graft <i>M. Centola, A. Rainer, C. Spadaccio, F. Abbruzzese, S. M. Giannitelli, L. Liverani, S. De Porcellinis, J. Genovese, M. Trombetta</i>	» 335
Potentiality of novel synthesized poly-(ester urethane)s for peripheral nerve regeneration <i>V. Chiono, S. Sartori, A. Rechichi, A. Chiaravalloti, S. Geuna, I. Perroteau, P. Tos, G. Ciardelli</i>	» 337
Polymeric Materials Inspired by Nature <i>G. Ciardelli, F.M. Montevecchi and P. Giusti</i>	» 339
Cellular stimulation mediated by boron nitride nanotubes <i>G. Ciofani, S. Danti, D. D'Alessandro, L. Ricotti, S. Moscato, M. Petrini, A. Menciacsi</i>	» 341
A CFD-based computer aided design of an automated large-scale cardiogenic 3D bioprocess of encapsulated embryonic stem cells <i>F. Consolo, C. Bariani, D. Gallo, A. Mantalaris, F.M. Montevecchi, A. Redaelli, U. Morbiducci</i>	» 343
Biomimetic Electrospun Polymeric Scaffolds for Small Blood Vessel Engineering <i>M. Dettin, F. Ghezzi, R. Danesin, M. Roso, F. Delaunay, V. Samouillan, G. Iucci, G. Polzonetti, M.T. Conconi, P.P. Parnigotto, M. Modesti</i>	» 345
Upgrade of a bioreactor for soft tissue engineering <i>G. Falvo D'Urso Labate, F. Mastrangelo, F. S. D'Agostino, A. F. R. Ruiz, P. Gentile, M. A. Deriu, U. Morbiducci, F.M. Montevecchi</i>	» 347
Synergistic effects between biological functionalization and inorganic bioactivity on ALP grafted biomaterials <i>S. Ferraris, E. Vernè, C. Vitale-Brovarone, S. Spriano, O. Bretcanu</i>	» 349
Surface modification of silicone prostheses by plasma treatment for further grafting with Chitosan-Rose Bengal <i>A.M. Ferreira, V. Chiono, I. Carmagnola, P. Gentile, C. Mattu, G. Ciardelli</i>	» 351
Approximating biological truth: an agent based approach to study plausible cancer stem cell behaviours in epithelial cyst formation <i>L. Gaetano, SHJ. Kim, G. Di Benedetto, U. Morbiducci, F.M. Montevecchi, C.A. Hunt</i>	» 353
Chitosan porous biocompatible membranes for peripheral nerve regeneration <i>A. Gambino, C. Tonda Turo, V. Chiono, P. Gentile, A. Sacco, C. Mattu, G. Ciardelli</i>	» 355
Fabrication and characterization of a Ti alloy/Al ₂ O ₃ functionally graded material <i>D. Gastaldi, E. Bertarelli, D. Carnelli, T. Villa, F. Casari, A. Molinari, R. Contro, P. Vena</i>	» 357
Reaching the normal diffusion regime with an atomic informed coarse grain model: diffusion of benzene within PVA matrix <i>A. Gautieri, S. Vesentini, A. Redaelli</i>	» 359
Engineering of bioactive polymeric or composite scaffolds for bone tissue regeneration <i>P. Gentile, V. Chiono, F. Baino, F. Boccafoschi, I. Carmagnola, A.M. Ferreira-Duarte, I. Pashkluva, C. Mattu, R. Reis, C. Vitale-Brovarone, G. Georgiev, G. Ciardelli</i>	» 361
A bioinspired approach to the fabrication of rapid prototyped scaffolds <i>S. M. Giannitelli, D. Accoto, S. De Porcellinis, A. Rainer</i>	» 363
SQPR (SQueue PResure) an innovative bioreactor chamber for contact-less stimulation of cell cultures <i>S. Giusti, C. De Maria, D. Mazzei and A. Ahluwalia</i>	» 365
A novel bioreactor to mechanically stress Stem Cells in culture <i>M. Govoni, F. Lotti, M. Lannocca, C. Muscari, E. Giordano, F. Bonafè, G. Pasquinelli, S. Valente, C. Guarnieri, C.M. Calderera, S. Cavalcanti</i>	» 367

Endothelialization of a transplantable recellularized liver graft <i>M.A. Guzzardi, B.E. Uygun, G. Price, M. Yarmush, K. Uygun</i>	pag. 369
Mechanical characterization of innovative abutments for immediately load dental implant <i>F. Lacarbonara, F. Vannetti, L. Lorenzini, G. Zonfrillo, A. Corvi</i> »	371
Fabrication of super-hydrophobic surfaces by direct replication of lotus leaves <i>E. Lepore, N. M. Pugno</i> »	373
The Application of Chitosan in Biomedical Engineering <i>R. Li, C. Mattu, G. Cardelli</i> »	375
Previsional modelling of predisposition to atherosclerosis: a statistical-CFD coupled approach <i>S. Maltagliati, M. Maltagliati, C. Credi, A. Corvi</i> »	377
Finite Element Modelling of The Urinary Bladder-Urethra Region <i>S. Maltagliati, L. Popova, F. Rogai, M. Spinelli, A. Corvi</i> »	379
On heel pad elasticity modeling <i>S. Matteoli, A. Corvi, J. E. Wilhjelm, S. T. Torp-Pedersen</i> »	381
Soft-MI scaffold for tissue engineering applications <i>A. Morachioli, F. Montemurro, G. Vozzi</i> »	383
Pores occlusion in MCM-41spheres immersed in simulated body fluid and a mathematical model to predict its effect on ibuprofen delivery kinetics <i>R. Mortera, S. Fiorilli, E. Garrone, E. Verné, B. Onida</i> »	385
Pectin microspheres as new injectable systems for bone tissue regeneration <i>F. Munarin, G. Guerreiro, M. Grellier, P. Petrini, M. C. Tanzi, M.A. Barbosa, P.L. Granja</i> »	387
Porous chitosan-gelatin scaffolds embedded with PLGA nanoparticles for bone repair <i>V. K. Nandagiri, P. Gentile, V. Chiono, C. Mattu, G. Ciardelli, F.M. Montevecchi, Z. Ramtoola</i> »	389
Pam scaffold for heart tissue engineering <i>M. Nardi, C. De Maria, G. Forte, P. Di Nardo, A. Ahluwalia, G. Vozzi</i> »	391
Inelastic behaviour of bone tissue in interaction processes with dental implants <i>A.N. Natali, E.L. Carniel, P.G. Pavan</i> »	393
Biomechanical behaviour of heel pad tissues: constitutive formulation and analysis <i>A.N. Natali, C.G. Fontanella, E.L. Carniel, A. Forestiero</i> »	395
Resorbable phosphate glass fibres for biomedical applications <i>G. Novajra, J. Lousteau, D. Milanese, J.C. Knowles, C. Vitale-Brovarone</i> »	397
Engineering signal processing pathways in living cells: from logic gates to logic functions <i>L. Pasotti, M. Quattrocchi, D. Galli, M.G. Cusella De Angelis, P. Magni</i> »	399
Design and computational evaluation of a bioreactor for electrical cell stimulation in cardiac tissue engineering <i>A. Pavesi, M. Soncini, A. Redaelli, F.M. Montevecchi, G.B. Fiore</i> »	401
Design of a novel bioreactor for electro-mechanical stimulation of cardiac constructs <i>A. Pavesi, R. Vismara, S. Lorenzoni, F.M. Montevecchi, G.B. Fiore</i> »	403
Clo-plus micromixer: design and evaluation of mixing <i>F. Pennella, F. Mastrangelo, M.A. Deriu, F.M. Montevecchi, U. Morbiducci</i> »	405
Fluid flow and particle transport in a 3D alveolar model <i>M.C. Pigliane, M. Vanni, C. Darquenne</i> »	407
<i>A novel straightforward "multiwell like" perfusion bioreactor for the in vitro expansion of Hematopoietic Stem Cells</i> <i>M. Piola, M. Cantini, G. Ferrario, N. Sadr, G.B. Fiore, M. Soncini</i> »	409
Modeling the elastic anisotropy of woven hierarchical biological tissues and scaffolds: theory and experiments <i>N. M. Pugno and Q. Chen</i> »	411
Hierarchical 2D fibre bundle modeling of the exceptional toughness of natural materials <i>N. M. Pugno, J. Durandi, F. Bosia</i> »	413

Mechanical characterization of polymer cartilage scaffold at different pH <i>S. Romiti, F. Montemurro, C. De Maria, G. Vozzi</i>	pag. 415
Highly biocompatible functionalized polyurethanes for medical applications <i>S. Sartori, A. Caporale, A. Silvestri, P.M. Serafini, F. Boccafoschi, G. Ciardelli</i> »	417
Commercial silicone polyurethane copolymers in cardiovascular application <i>P. M. Serafini, A. Silvestri, F. Pennella, M. Carvani, A. Mangone, G. Ciardelli, F. M. Montavecchi</i> »	419
Polysiloxane based polyurethane formulations for cardiovascular applications <i>A. Silvestri, S. Sartori, P. M. Serafini, P. Ferrando, C. Mattu, S. Milione, G. Ciardelli</i> »	421
PAM ² microfabricated three-dimensional bioactive hydrogel systems: realisation of a hepatic-like structure <i>A. Tirella, F. Vozzi, B. Vinci, G. Vozzi, A. Ahluwalia</i> »	423
Enzymatic cross-linked hydrogel: role of Lysyl oxidase as an initiator of fibroblast inflammatory response <i>A. Tirella, G. Vozzi, N. Tirelli, A. Ahluwalia</i> »	425
Biomimetic scaffolds for peripheral nerve regeneration <i>C. Tonda-Turo, C. Audisio, E. Cipriani, P. Gentile, V. Chiono, S. Geuna, M. Zanetti, I. Perroteau, G. Ciardelli</i> »	427
The role of dynamic stimulation in skin tissue engineering <i>C. Turrisi, M. A. Asnaghi, F. Renò, M. Cannas, S. Mantero</i> »	429
Surface activation study of a ferrimagnetic glass-ceramic for anticancer drugs grafting <i>E. Vernè, M. Miola, S. Ferraris, C.L. Bianchi, A. Naldoni, G. Maina, O. Bretcanu</i> »	431
Liver models in a Multi-Compartmental Modular Bioreactor, MCmB <i>B. Vinci, C. Duret, D. Mazzei, J. Malcolm, Wilkinson, P. Maurel, A. Ahluwalia</i> »	433
Sensorised "Smart" Scaffold to Monitor Cell Processes Based on Impedance Characteristics <i>Y. Whulanza, N. Ucciferri, C. Domenici, G. Vozzi, A. Ahluwalia</i> »	435
CAE Modelling of Biomorphic Polymeric Heart Valve Prostheses <i>A. Zaffora, J. Stasiak, G. D. Moggridge, M. L. Costantino, R. Fumero</i> »	437
BIOMEDICAL SIGNAL PROCESSING AND IMAGING	
Automatic T-wave alternans identification in the presence of physiological noise <i>S. Bini, L. Burattini, R. Burattini</i> »	441
A new method for the reduction of power line interference from multichannel bioelectric recordings <i>A. Botter, R. Merletti</i> »	443
Assessment of physiological T-wave alternans <i>L. Burattini, R. Burattini</i> »	445
Eye Tracking Analysis in Reading Online Ewspapers <i>E. Carniglia, D. Zambarbieri</i> »	447
Analysis of emotional picture viewing through eye movement recording <i>E. Carniglia, D. Zambarbieri, M. Caputi, V. Manfredi</i> »	449
Delineation of target volume for radiotherapy in SPECT images: statement and analysis of two novel algorithms <i>F. Caselli, C. Basile, M. Pacilio</i> »	451
Ultra Wide Band Transmitter for Breast Cancer Detection <i>M.R. Casu, M. Crepaldi, M. Cutrupi, M. Graziano, M. Zamboni</i> »	453
Continuous description of intervertebral kinematics by spline interpolation of motion data obtained processing fluoroscopic lumbar sequences <i>T. Cerciello, P. Bifulco, M. Cesarelli, M. Romano, M. D'Antò, G. Pasquariello</i> »	455
Quantification of kidney volume from MRI without contrast medium injection in ADPKD patients <i>C. Corsi, R. Mignani, C. Carminati, E.G. Caiani, C. Lamberti, S. Severi</i> »	457
Principal component analysis of the T-wave for mortality prediction in hemodialysis patients <i>C. Corsi, F. Grandi, D. Steckiph, A. Santoro, S. Severi</i> »	459

Ocular surface temperature in normal subjects <i>A. Corvi, F. Vannetti</i>	pag. 461
Estimation of EEG fractal dimension: sensitivity to sampling frequency and time window length <i>M. Cusenza, A. Accardo</i>	» 463
Tissue-equivalent phantom at low field <i>F. Damonte, S. Scopelliti, E. Lazzarini, C. Toraci, A. Schenone, M. Fato</i>	» 465
Perfusion CT of the liver: slope method analysis <i>M. D'Antò, M. Cesarelli, P. Bifulco, M. Romano, F. Fiore, V. Cerciello, T. Cerciello</i>	» 467
A multi-task learning method for the single-trial estimation of cognitive evoked potentials <i>C. D'Avanzo, A. Goljahani, A. Schiavon, F. Suman, G. Pillonetto, G. De Nicolao, G. Sparacino</i>	» 469
Analysis of fetal cardiac bypass by means of fractal dimensions <i>G. D'Avenio, C. Daniele, M. Grigioni</i>	» 471
Preliminary clinical validation of an algorithm for the quantification of ¹⁸ F-FDG uptake for pulmonary lesions in PET-CT <i>E. De Bernardi, C. Gianoli, F. Fiorani Gallotta, F. Zito, P. Gerundini, G. Baselli</i>	» 473
<i>fMRI analysis of brain activation during ankle dorsi/plantarflexion in post-stroke patients: a case study</i> <i>S. Del Din, A. Bertoldo, Z. Sawacha, M. Rabuffetti, M. Ferrarin, M. Laganà, J. Jonsdottir, F. Baglio, M. Rovaris, C. Cobelli</i>	» 475
Recurrence Quantification Analysis of fetal stress in cardiac surgery experimentation <i>C. Del Gaudio, M. Grigioni, U. Morbiducci</i>	» 477
Automated quantification of cysts extent on lung CT in lymphangioleiomyomatosis by LoG scale-space analysis <i>S. Diciotti, N. Sverzellati, S. Lombardo, M. Zompatori, M. Mascalchi, G. Coppini</i>	» 479
Effects of Working Memory Demand on Short-term Heart Rate- and Pulse Transit Time- Variability <i>L.Y. Di Marco, R. Sottile, L. Chiari</i>	» 481
Comparative Analysis of Heart- and Pulse- Rate Variability During Mental Task Execution: The Role of Pulse Transit Time Variability <i>L.Y. Di Marco, R. Sottile, L. Chiari</i>	» 483
Recording of fetal heart sound using a PVDF piezoelectric film sensor <i>G. Donadono, M. Ruffo, M. Romano, P. Bifulco, M. Cesarelli, G. Gargiulo, A. Fratini</i>	» 485
Validation of an elastic registration technique to estimate anatomical lung modifications in Tomotherapy <i>E. Faggiano, M. Cattaneo, I. Dell'Oca, G. Rizzo</i>	» 487
Automating sample preparation by image analysis <i>B. Ferrisi, M. Turchi, L. Bocchi</i>	» 489
Integrating Electroencephalography (EEG) and functional Magnetic Resonance Imaging (fMRI) in epilepsy <i>E. Formaggio, S.F. Storti, A. Bertoldo, P. Manganotti, G.M. Toffolo</i>	» 491
Simultaneous Pixel Classification and Compartmental Modelling of DCE-MRI in Breast Cancer <i>R. Fusco, M. Sansone, A. Petrillo, M. Petrillo, M. Bracale</i>	» 493
fMRI functional and effective connectivity in humans supports a direct pathway from thalamus to hMT+ <i>A. Gaglianese, L. Sani, A. Roebroek, G. Handjaras, G. Bernardi, M. Costagli, E. Ricciardi, P. Pietrini</i>	» 495
RC-based Partial Volume Correction for PET-CT clinical oncological studies <i>F. Gallivanone, A. Stefano, C. Canevari, C. Messa, L. Gianolli, I. Castiglioni, M.C. Gilardi</i>	» 497
Methods of handwriting analysis in school-age children <i>M. Genna, B. Saule, A. Accardo, M. Borean</i>	» 499
A fully automatic algorithm for segmentation of the breasts in DCE-MR images <i>V. Giannini, A. Vignati, M. De Luca, L. Morra, L. A. Carbonaro, D. Brizzi, F. Sardanelli, D. Regge</i>	» 501
Classification of Microcirculation Diseases with Quantitative Parameters from Nailfold Capillaroscopy <i>M. Goffredo, C. Palma, M. Ardigò, T. D'Alessio</i>	» 503

Desynchronization/Synchronization and inter-individual variability of alpha frequency in EEG signals: application to a prospective memory task <i>A. Goljahani, C. D'Avanzo, F. Parpaola, S. Schiff, P. Amodio, P. Bisiacchi, G. Sparacino</i>	pag. 505
Active contour segmentation for breast cancer detection using ultrasound images <i>F. Gritti, E. Giannotti, J. Nori, L. Bocchi</i>	» 507
Changes in Left Ventricular Morphology Following Early Mitral Valve Repair: a 3D Echocardiographic Study <i>F. Maffessanti, E.G. Caiani, G. Tamborini, M. Muratori, L. Sugeng, L. Weinert, F. Alamanni, M. Zanobini, V. Mor-Avi, R.M. Lang, M. Pepi</i>	» 509
Analysis of 3D Septal Shape from Cardiac Magnetic Resonance Images for the Evaluation of Pulmonary Hypertension <i>F. Maffessanti, M.A. Sciancalepore, A.R. Patel, M. Gomberg-Maitland, S. Chandra, E.G. Caiani, R.M. Lang, V. Mor-Avi</i>	» 511
Feasibility of a Novel Approach for 3D Mitral Valve Quantification from Cardiac Magnetic Resonance Images <i>F. Maffessanti, M. Stevanella, E. Votta, M. Lombardi, O. Parodi, D. De Marchi, C.A. Conti, A. Redaelli, E.G. Caiani</i>	» 513
Detection of snore events in full night sleep recordings <i>C. Manfredi, L. Bocchi, I. Romagnoli, F. Gigliotti, G. Donzelli</i>	» 515
Fractional Differential Processing for Medical Imaging <i>R. Marazzato, A. C. Sparavigna</i>	» 517
Automatic detection of A-phases of the Cyclic Alternating Pattern during sleep <i>S. Mariani, V. Rosso, M. O. Mendez, A. M. Bianchi, M. G. Terzano, S. Cerutti</i>	» 519
Characterization of a novel designed micromixer by microscopic particle image velocimetry techniques <i>F. Mastrangelo, M. Rossi, C. Cierpka, C. J. Kähler, F. Pennella, M. Rasponi, F. Piraino, A. Redaelli, U. Morbiducci</i>	» 521
Q-space approach in diffusion MRI: a preliminary study on a biological phantom <i>A. Mastropietro, M. Figini, I. Zucca, G. Baselli</i>	» 523
T2* evaluation of iron overload at 3T and comparison with 1.5T <i>A. Meloni, V. Positano, D. De Marchi, A. Pepe, L. Menichetti, P. Keilberg, M. C. Dell'Amico, M. Lombardi, L. Landini</i>	» 525
Contrast-enhanced Ultrasound Imaging for Carotid Plaque Characterization: Histology Validation <i>F. Molinari, A. Marsico, W. Liboni, E. Pavanelli, S. Giordano, J.S. Suri</i>	» 527
<i>N2 and P3 displacement in Diffuse Axonal Injury: a "generative" study of ERP components with moving dipoles</i> <i>E. Molteni, E. Gatti, A. M. Bianchi, S. Cerutti</i>	» 529
An efficient and effective segmentation software to investigate the Apparent diffusion coefficient in Multiple Myeloma lesions <i>E. Montin, P. Potepan, L. Mainardi</i>	» 531
Comparison of the time-frequency structure of pulse rate and heart rate variability during non-stationary conditions <i>M. Orini, E. Gil, R. Bailón, L.T. Mainardi, P. Laguna</i>	» 533
Automatic detection of cry episodes in newborn infant cry recordings <i>S. Orlandi, C. Risaliti, C. Manfredi, L. Bocchi, G. P. Donzelli</i>	» 535
Collaborative environment for Clinical Audit by integration of Surface Computing, 3D Dynamical Visualization and Imaging Fusion technique <i>A. Palombo, M. La Scaleia, S. Silvestri, G. D'Avenio, C. Daniele, M. Grigioni</i>	» 537
Estimation of FECG power for effective electrodes placement in real-time non-invasive FECG extraction with OL-JADE <i>D. Pani, S. Argiolas, L. Raffo</i>	» 539
Enhancing Gaussian mixture model estimation with a vesselness-based prior for multiscale vessel segmentation <i>K. Passera, A. Remuzzi, L. Antiga</i>	» 541
A fully 3D OS-MLEM reconstruction algorithm accounting for the Point Spread Function of a PET system <i>E. Rapisarda, V. Bettinardi, K. Thielemans, M. C. Gilardi</i>	» 543

Design and implementation of a Matlab tool for the representation of domains in the 3D space of the nucleus <i>E. Rizzo, V. Merico, P. Magni</i>	pag. 545
A Bayesian Hierarchical Method For Generation Of PET Parametric Maps: Application On [¹¹ C]DPN Test-Retest Study <i>G. Rizzo, F.E. Turkheimer, S. Keihaninejad, S. Bose, A. Hammers, A. Bertoldo</i> »	547
Testing a FHR extraction algorithm by means of a simulating software of foetal phonocardiographic recordings <i>M. Ruffo, M. Cesarelli, M. Romano, P. Bifulco</i> »	549
Gradient Artefact Removal in EEG/fMRI Co-registration <i>E. Sartori, E. Formaggio, S. F. Storti, A. Bertoldo, P. Manganotti, A. Fiaschi, G.M. Toffolo</i> »	551
A Bayesian filtering approach to estimate hemodynamic response in functional near infrared spectroscopy (fNIRS) <i>F. Scarpa, S. Cutini, L. Garbin, P. Scatturin, C. D'Avanzo, R. Dell'Acqua, G. Sparacino</i>	» 553
A system for the automatic estimation of morphometric parameters of corneal endothelium <i>F. Scarpa, M. De Luca, A. Ruggeri</i>	» 555
Echo Planar Imaging on Low Field Open MRI System <i>S. Scopelliti, C. Toraci, A. Schenone, M. Fato</i> »	557
A Real-Time EEG-EMG multimodal approach for the detection of voluntary activity in patients affected by tremor impairment <i>G. Severini, S. Conforto, M. Schmid, C. De Marchis, T. D'Alessio</i> »	559
Cortical Lesions In Multiple Sclerosis: A Diffusion Tensor Imaging Study <i>L. Squarcina, M. Calabrese, A. Favaretto, I. Mattisi, P. Gallo, A. Bertoldo</i>	» 561
Automatic selection of ICA components in fMRI resting-state time series <i>S. F. Storti, R. Nordio, E. Formaggio, G. M. Toffolo, P. Manganotti, A. Bertoldo</i>	» 563
Automated Segmentation and Registration of Myocardium For Quantitative Assessment of First Pass Perfusion MRI <i>G. Tarroni, A. R. Patel, F. Veronesi, C. Lamberti, C. Corsi, V. Mor-Avi</i> »	565
Monitoring of end stage renal disease patients during hemodialysis treatment to reduce intradialytic complications <i>J. I. Titapiccolo, M. Ferrario, F. Garrotto, D. Cruz, C. Ronco, S. Cerutti, M.G. Signorini</i> »	567
Estimation of the Cortical Spectral Activity During Mental Imagery Tasks: an Application of the Multiple Comparison Corrections in a High Resolution EEG Study <i>J. Toppi, F. Babiloni, F. Cincotti, F. De Vico Fallani, G. Vecchiato, S. Salinari, A. Owen, D. Mattia, L. Astolfi</i> »	569
Advanced Methods for Robust Multiple Arrhythmia Recognition: a High Order Spectrum Study <i>G. Valenza, A. Lanatà, A. Armato, E. P. Scilingo</i> »	571
Gray matter multiple sclerosis lesions identification in DIR sequences <i>E. Veronese, E. Grisan, M. Calabrese, A. Favaretto, P. Gallo, A. Bertoldo</i> »	573
A Spectral Analysis Method for Measuring Regional Rates of Cerebral Protein Synthesis In L-[¹¹ C]Leucine PET Studies at Voxel Level <i>M. Veronese, A. Bertoldo, K. C. Schmidt</i> »	575
A fully automatic lesion detection method for DCE-MRI fat suppressed breast images <i>A. Vignati, V. Giannini, M. De Luca, L. Morra, A. Bert, L. Martincich, D. Regge</i> »	577
Non-invasive tool to assess heart rhythm in zebrafish embryos <i>G.M. Zaccaria, E. De Luca, G. Rizzo, R. Ponzini, M. Santoro, U. Morbiducci</i>	» 579
NEURAL ENGINEERING, BIROBOTICS, LIFE SUPPORT SYSTEM, MICRO AND NANO TECHNOLOGIES	
Asynchronous Brain Computer Interface for environmental control <i>F. Aloise, F. Schettini, L. R. Quitadamo, L. Bianchi, F. Babiloni, D. Mattia, F. Cincotti</i> »	583
Intra cranial brain stimulation: a brain networks approach <i>G. Arnulfo, A. Schenone, L. Nobili, M. M. Fato, F. Beltrame</i> »	585
Estimation of the Time-Varying Cortical Activity From High Resolution EEG During Simultaneous Multi-Subject Recordings <i>L. Astolfi, F. De Vico Fallani, F. Cincotti, D. Mattia, S. Salinari, G. Vecchiato, J. Toppi, C. Wilke, H. Yuan, B. He and F. Babiloni</i>	» 587

An open-source, multi-robot software platform to support, robot-assisted motor skill learning and rehabilitation exercises <i>A. Basteris, S. Dosen, I. Sterpi, V. Sanguineti</i>	pag. 589
Functionality modulation of in-vitro networks: assessment using an intra network burst correlation algorithm <i>E. Biffi, A. Menegon, G. Regalia, A. Pedrocchi, G. Ferrigno</i>	» 591
Numerical study of different constructs for the external fixation of the pelvis <i>C. Bignardi, E.M. Zanetti, A. Massè, A.L. Audenino</i>	» 593
The brain response to human and robotic faces in autism <i>L. Billeci, L. Biagi, S. Calderoni, A. Ahluwalia, F. Muratori, M. Tosetti</i>	» 595
Callosal contributions to motor sequence learning <i>L. Bonzano, A. Tacchino, L. Roccatagliata, M. Bove</i>	» 597
Development of a PDMS peristaltic micropump for micro analysis systems in protein assays <i>E. Buselli, P. Castrataro, E. Morganti, C. Collini, L. Lorenzelli, A. Menciassi</i>	» 599
A NIRS study of the hemodynamic correlates of cognitive functions <i>R. Cabiddu, E. Molteni, A. M. Bianchi, D. Contini, S. Cerutti</i>	» 601
Design of a magnetic actuation system for an autonomous swimming robot <i>S. Caccavaro, G. Tortora, P. Valdastri, A. Menciassi, P. Dario</i>	» 603
Abdominal patient specific 3D models for surgical planning and for smart mechatronics devices guidance <i>M. Carbone, V. Ferrari, M. Ferrari, F. Mosca</i>	» 605
A bidirectional interface for neural signal acquisition and PNS stimulation <i>C. Carboni, D. Loi, G. Angius, G. Angotzi, M. Barbaro, L. Raffo</i>	» 607
Nanostructured coating via layer-by-layer of photoactive polymers for tissue engineering <i>I. Carmagnola, V. Chiono, P. Gentile, A.M. Ferreira-Duarte, C. Mattu, I. Pashkloveva, R. Reis, G. Georgiev, G. Ciardelli</i>	» 609
Polymeric haptic displays for force feedback in laparoscopic surgery and vibro-tactile information coding for the blinds <i>F. Carpi, G. Frediani, D. De Rossi</i>	» 611
Physical simulator of fluid and mass transfer during dialysis <i>G. Casagrande, A. Borlotti, D. Carugo, R. Fumero, M.L. Costantino</i>	» 613
Design and development of “biomechatronic gym” for early detection of neurological disorder in infants <i>F. Cecchi, S.M. Serio, M. Del Maestro, G. Sgandurra, G. Cioni, C. Laschi, P. Dario</i>	» 615
A Neuromorphic Architecture For Cortical-Style Early Vision Processing: Optic Flow and 2D Disparity Pattern Estimation <i>M. Chessa, F. Solari, S. P. Sabatini</i>	» 617
Study and development of a robotic muscular hydrostat inspired by the octopus arm <i>M. Cianchetti, M. Follador, A. Arienti, M. Calisti, M. Giannaccini, B. Mazzolai, C. Laschi, P. Dario</i>	» 619
Cortical Current Density Estimation as a Spatial Filter for Offline and Online Brain-Computer Interfaces <i>F. Cincotti, L. Astolfi, F. Aloise, F. de Vico Fallani, L. Bianchi, D. Mattia, F. Babiloni</i>	» 621
Performance of a BCI support vector machine classifier driven by denoised signals <i>A. Cinetto, C. D’Avanzo, A. Goljahani, F. Piccione</i>	» 623
Preliminary comparative evaluation of control interfaces for a robotic-aided endoscopic platform <i>G. Ciuti, M. Salerno, G. Lucarini, P. Valdastri, A. Arezzo, A. Menciassi, M. Morino, P. Dario</i>	» 625
<i>Functionalized Microelectrodes Arrays With Integrated Microfluidic Channels For Single-Site Multiple Transfections</i> <i>C. Collini, E. Morganti, L. Odorizzi, C. Ressa, L. Lorenzelli, N. Coppedè, A.B. Alabi, S. Iannotta, L. Vidalino, P. Macchi</i>	» 627
Estimation of TMS response by means of a neural mass model <i>F. Cona, M. Zavaglia, M. Mirri, M. Rosanova, M. Ursino</i>	» 629
Electromagnetic navigation system for endovascular surgery <i>S. Condino, C. Freschi, V. Ferrari, R. Berchiolli, F. Mosca, M. Ferrari</i>	» 631
<i>NeuroBike: a robotic platform for the neurorehabilitation of bedridden post-stroke subjects</i> <i>M. Coscia, V. Monaco, G. Galardi, S. Micera</i>	» 633

Bilingual Learning: A Neurocomputational Study <i>C. Cuppini, E. Magosso, M. Ursino</i>	pag. 635
Supercritical fluid emulsions extraction: a novel technology for the production of poly.lactic-co-glycolic nanostructured microdevices <i>G. Della Porta, S. Cavalcanti, E. Reverchon</i>	» 637
Fiducial localization error propagation in optically tracked hand-eye calibrated medical robots <i>D. De Lorenzo, E. De Momi, G. Ferrigno</i>	» 639
A Biologically Inspired Neural Model for the Active Control of Tremor Movements <i>C. De Marchis, S. Conforto, I. Bernabucci, M. Schmid, T. D'Alessio</i>	» 641
Biomechanics of actin filaments by molecular simulations <i>M. A. Deriu, T. C. Bidone, F. Mastrangelo, G. Di Benedetto, M. Soncini, U. Morbiducci, F.M. Montevecchi</i>	» 643
A novel conformant and robust artificial tactile sensing technology <i>S. M. M. De Rossi, A. Persichetti, F. Vecchi, N. Vitiello, T. Lenzi, M. C. Carrozza</i>	» 645
Understanding the training-induced effects on motor cortical excitability during BCI applications through EEG and TMS measurements <i>F. De Vico Fallani, A. Bononati, F. Pichiorri, F. Cincotti, M. Molinari, D. Mattia, F. Babiloni</i>	» 647
ODEs model of FBR around peripheral nerve implanted electrode <i>G. Di Pino, D. Formica, L. Lonini, D. Accoto, E. Guglielmelli</i>	» 649
Microneedles electrodes for biopotentials monitoring <i>E. Forvi, F. Rizzo, R. Carabalona, P. Mazzoleni, M. Bedoni, M. Casella, C. O'Mahony, F. Gramatica</i>	» 651
A Navigation System for Robotic-Assisted Biopsy <i>C. Freschi, V. Ferrari, E. Troia, M. Ferrari, F. Mosca</i>	» 653
Brain activation during active, passive and FES-induced movements: a feasibility fMRI study <i>M. Gandolla, C. Casellato, S. Ferrante, G. Ferrigno, G. Baselli, F. Molteni, A. Martegani T. Frattini, A. Pedrocchi</i>	» 655
Feasibility of a new Geometry-Free Eye Gaze Tracking using a new Triangular Pattern of Infrared light and Neural Mapping <i>M. Gneo, D. Carbone, M. Schmid, S. Conforto, C. Palma, T. D'Alessio</i>	» 657
In situ analysis of age-related changes in articular cartilage macromolecules by afm <i>R. Gottardi, A. Cavaliere, M. Stolz, V. Romani, U. Aebi, R. Raiteri</i>	» 659
An Integrated and Mixed Technology LOC Hydrodynamic Focuser for Cell Counting Structures <i>A. J. Laki, A. Carola, A. Sanginario, N. Piacentini, D. Demarchi, P. Civera, M. Knaflitz, K. Iván</i>	» 661
Analysis of Spontaneous and Evoked Activity Pattern of the Visual Cortex <i>J. Lamanna, F. Espoti, A. Malgaroli, M.G. Signorini</i>	» 663
Mechanical testing of reference model gels and articular cartilage by atomic force microscopy <i>E. Landini, R. Gottardi, P. Vena, R. Raiteri</i>	» 665
NEURARM: a robotic arm replicating the neuro-muscle-skeletal system <i>T. Lenzi, N. Vitiello, S. M. M. De Rossi, S. Roccella, F. Vecchi, M. C. Carrozza</i>	» 667
Fast optical changes recorded in primary visual cortex during visual stimulation <i>A. Malagoli, S. Fonda</i>	» 669
Safe cardiac mapping and catheter ablation using a novel remote catheter manipulator <i>E. Marcelli, L. Cercenelli, F. Di Monte, D. Caponi, F. Gaita, G. Plicchi</i>	» 671
Anatomical study and in vivo measurement of the elongation and strength capability of the octopus arm <i>L. Margheri, G. Ponte, B. Mazzolai, C. Laschi, P. Dario, G. Fiorito</i>	» 673
Neuronal dynamics vs. connectivity: a computational model to explain how in vitro neuronal networks develop and exhibit well-defined patterns of activity <i>P. Massobrio, M. Garofalo, V. Pasquale, S. Martinoia</i>	» 675
Nanoparticles for targeted Drug Delivery in Cancer Treatment <i>C. Mattu, R. Li, G. Ciardelli</i>	» 677
Antibacterial properties of silica coatings containing silver nanoclusters <i>M. Miola, M. Ferraris, S. Perero, S. Ferraris, E. Verné</i>	» 679
A neuro-robotic approach to study the computational properties of cell assemblies in the brain <i>M. Mulas, P. Massobrio, V. Pasquale, S. Martinoia, M. Chiappalone</i>	» 681

Design of microfluidic devices for drug screening on in-vitro cells to optimize osteoporosis therapies <i>F. Nason, E. Morganti, A. Tindiani, C. Collini, C. Ressa, G. Pennati, F. Boschetti, G. Lombardi, A. Colombini, G. Banfi, L. Lorenzelli, G. Dubini</i>	pag. 683
About mirror neurons in monkeys and in humans <i>P. B. Pascolo, R. Budai, R. Rossi, A. Cattarinussi</i> »	685
Autism and broken mirror neuron theory <i>P. B. Pascolo, A. Cattarinussi, R. Rossi, S. Cremaschi</i> »	687
Theoretical and experimental investigation of the knee: a biomechanical model <i>P. Pascolo, G. Valenti, R. Carniel</i> »	689
Electrochemiluminescence detection on functionalized CNT electrodes <i>L. Pasquardini, M. Vinante, L. Lunelli, L. Vanzetti, M. Giorcelli, A. Tagliaferro, A. Sanginaro, D. Demarchi, S. Zanarini, F. Paolucci, L. Prodi, M. Anderle, C. Pederzoli</i> »	691
Measurement of stiffness changes after consecutive challenges in human airway smooth muscle cells by optical magnetic twisting cytometry <i>M. Pastena, M. Baroffio, V. Brusasco, A. Pedotti, R. Dellacà</i> »	693
Continuous Flow Dielectrophoretic Sorting and Coulter Counting of Yeast Cells for Sample Viability Assessment <i>N. Piacentini, G. Mernier, R. Tornay, N. Buffi, P. Renaud</i> »	695
Catastrophic failure of nanotube bundles, interpreted with a new statistical nonlinear theory. <i>N. M. Pugno, T. Abdalrahman</i> »	697
Biocompatibility and Functionality of PLA Nanosheets <i>L. Ricotti, S. Taccola, V. Pensabene, V. Mattoli, A. Menciasci, P. Dario</i> »	699
Myoblast microarray analysis and muscle vasculogenesis in Magic-F1 mice <i>F. Ronzoni, S. Conte, D. Galli, L. Benedetti, J. Allemeersch, R. van Eijsden, A. Nuzzo, F. Mulas, R. Bellazzi, G. Cusella De Angelis, M. Sampaolesi</i> »	701
Neuroinspired Controller for Motion and Interaction Control of a Robot Manipulator <i>L. Rossini, A. Salerno, L. Zollo, E. Guglielmelli</i> »	703
Combining Atomic Force Microscopy with Micro-Electrode Arrays for Studying the Mechano-Electrical Behavior of Cardiac Myocytes <i>J. F. Saenz, M. Tedesco, S. Martinoia, R. Raiteri</i> »	705
Coping with intrinsic constraints: force control of a wrist rehabilitation robot <i>M. Scorcia, D. Formica, N. L. Tagliamonte, D. Campolo, E. Guglielmelli</i> »	707
Development of a capsule with hybrid locomotion for gastrointestinal tract exploration <i>M. Simi, P. Valdastri, A. Menciasci, P. Dario</i> »	709
Analysis of Upper Limb Muscle Synergies in Stroke Patients during Robot-Aided Reaching and Planar Movements <i>P. Tropea, S. Mazzoleni, R. Crecchi, F. Posteraro, S. Micera</i> »	711
The role of dynamic stimulation in skin tissue engineering <i>C. Turrisi, M. A. Asnaghi, F. Renò, M. Cannas, S. Mantero</i> »	713
Optimization of a connected culture microfluidic system for in-vitro nano-toxicological tests <i>N. Ucciferri, T. Sbrana, C. Domenici, A. Ahluwalia</i> »	715
Biomechanical analysis of the lower limbs during level walking for a case of massive skeletal reconstruction <i>G. Valente, F. Taddei, S. Martelli, A. Leardini, M.G. Benedetti, L. Cristofolini, M. Viceconti, M. Manfrini</i> »	717
Brain activity related to the coding of faces of politicians: a high resolution EEG study <i>G. Vecchiato, J. Toppi, F. Cincotti, L. Astolfi, F. De Vico Fallani, F. Aloise, D. Mattia, S. Bocale, F. Babiloni</i> »	719
A robotic implementation of predictive smooth pursuit eye movement with occlusions <i>D. Zambrano, E. Falotico, L. Marazzato, G. G. Muscolo, P. Dario, C. Laschi</i> »	721
Experimental Study of Pelvic Fixation: Development and Realization of a Loading System <i>E.M. Zanetti, A.L. Audenino, C. Bignardi</i> »	723